If you require translation services or a copy of this document in other languages, audio tape, Braille or larger print, please speak to a member of CWP staff or e-mail cwp.info@nhs.net

আপনার অনুবাদ পরিষেবা বা অন্য ভাষায় এই ডকুমেন্টের একটি কপি, অডিও টেপ, অন্ধ ব্যক্তির লিখনাদির প্রণালী বা বড় আকারের মুদ্রণ প্রয়োজন হলে, অনুগ্রহ করে CWP কর্মীর একজন সদস্যের সাথে কথা বলুন বা cwp.info@nhs.net এ ইমেল করুন

Os oes angen gwasanaethau cyfieithu neu gopi o'r ddogfen hon arnoch mewn ieithoedd eraill, tâp awdio, Braille, neu brint brasach, siaradwch ag aelod o staff CWP neu e-bostiwch <u>cwp.info@nhs.net</u>

જો તમને ભાષાંતર સેવાઓની જરૂર હોય અથવા અન્ય ભાષાઓ, ઑડિયો ટેપ, બ્રેઇલ અથવા મોટા અક્ષરોમાં આ દસ્તાવેજની નકલ જોઈતી હોય તો કૃપા કરીને CWP સ્ટાફના સભ્ય સાથે વાત કરો અથવા <u>cwp.info@nhs.net</u> પર ઇ-મેલ કરો

Jeśli wymagane jest tłumaczenie, lub kopia niniejszego dokumentu w innym języku, na kasecie audio, alfabetem Braille'a lub druk większą czcionką, prosimy o skontaktowanie się z członkiem personelu CWP (Organizacja partnerska krajowego systemu zdrowia regionów Cheshire i Wirral) lub przez pocztę elektroniczna: cwp.info@nhs.net

如果您需要翻译服务或者需要该文件的其它版本,录音磁带,盲文或 大字体,请和CWP的一位员工提出,或者发电邮至 cwp.info@nhs.net

यदि आपको अनुवाद सेवाएँ, या इस दस्तावेज़ की प्रति किसी अन्य भाषा, ऑडियो टेप, ब्रैल या बड़े अक्षरों में चाहिए, तो कृपया CPW स्टाफ के सदस्य से बात करें या cwp.info@nhs.net पर ईमेल करें

The information in the leaflet was valid at the date of production **December 2019** and is due for review on **December 2021**

Leaflet code: F-TBB-19-817





Tailor's Bunion

Bunionette

Helping people to be the best they can be

Tailor's Bunion

What is a Tailor's Bunion?

Tailor's bunion, also called a bunionette, is a prominence of the fifth metatarsal bone at the base of the little toe. The metatarsals are the five long bones of the foot. The prominence that characterizes a tailor's bunion occurs at the metatarsal head, located at the far end of the bone where it meets the toe. Tailor's bunions are not as common as bunions, which occur on the inside of the foot, but they are similar in symptoms and causes. The name is derived from when tailors sat cross-legged all day with the outside edge of their feet rubbing on the ground. This constant rubbing led to a painful bump at the base of the little toe.

What are the causes of a Tailor's Bunion?

Often a tailor's bunion is caused by an inherited faulty mechanical structure of the foot. In these cases, changes occur in the foot's bony framework, resulting in the development of an enlargement. The fifth metatarsal bone starts to protrude outward, while the little toe moves inward. This shift creates a bump on the outside of the foot. That becomes irritated whenever a shoe presses against it.

What are the symptoms of a Tailor's Bunion?

Symptoms include redness, swelling and pain at the site of the enlargement. Symptoms comprise of a 'deep joint ache' and/or 'rubbing pain'. Symptoms are usually aggravated when wearing shoes that are too narrow in the toe box, producing constant rubbing and pressure

What are the treatments for Tailor's Bunion?

Treatment for tailor's bunion typically begins with nonsurgical therapies.

- Footwear modifications choose shoes that have a wide, deep toe box, and avoid those with pointed toes or high heels
- Padding bunionette pads placed over the area may help reduce pain
- Oral medication nonsteroidal anti-inflammatory drugs (NSAIDs), such as ibuprofen, may help relieve pain and inflammation short-term
- **Icing** an ice pack may be applied to reduce pain and inflammation, wrap the pack in a thin towel rather than placing ice directly on your skin
- **Injection therapy** injections of corticosteroid may be used to treat the inflamed tissue around the joint
- **Orthotic devices** in some cases, insoles to help offload the joint or correct alignment may be appropriate

Contact details:

Podiatry Office –

01244 385000

Open Monday – Friday 09.00

– 12.30 and 13.30 – 16.00